

15" Chassis Monitor



15" Open Frame Chassis Monitor

Although very different, this 15" Open Frame Chassis Monitor is designed to fit in the footprint of the 3M MicroTouch FPD Chassis Monitors. With mounting options at both the side and rear of the unit, it offers an unparalleled ease of integration.

The main feature that sets this monitor apart from the rest is the ability to integrate a stereo audio system, with either phono outputs or integral speakers. Ideal for any kiosk product, allowing the system to drive non-active speakers without the need for expensive audio systems.

Physical Specifications

Dimensions (WxHxD) **361mm x 273mm x 39mm** Weight

Operating Environment 0 to 40 degrees C, 90% relative humidity, non-

Audio

condensing 2 + 2 Watts

RTB Warranty

1 Year **Powder Coated Alunimium**

Build Material

Chassis

Fixing Details

VESA Mount and Side fixing

available

Manufacturer **Future Generation**

Controller Model Colours

Titan TTN3-ADA-LO150X1LGN2 16.7 Million 350:1

Viewina Anale Control Type Resoloution

TBA OSD 1024x768

Contrast **Brightness**

260 Cd

Cable Connector

15 pin D-Sub / Dvi

Backlight

35,000 Hours Typical

Power Specifications

Power Supply Power Consumption Power Rating

12v DC External **20 Watts Normal**

45 watts

PC Specifications

Processor

N/A

Memory N/A

Hard Disc Drive N/A

Special Comments

The TFT Panel included within this product is manufactured by Sharp



15" Chassis Monitor Pictures























