



i-Touch V38 Mark II



Kiosk Desk Unit with Transparent or Frosted Glass Panels and 15" screen

A new direction in kiosk information access with added privacy / security.

The v38 Mark II Workstation Kiosk can be fitted with plain panels, vanity vinyl and privacy screen filters.

Based on the robust, accessible v38, this new version kiosk offers the same high level of functional flexibility whilst also increasing the contemporary look of the design and styling. As with the Mark I version of this unit, there are many available options including keyboard, trackball, reduced A4 printer and the panel options as mentioned above, the v38 is an extremely versatile kiosk unit. With lots of space available for vinyl livery branding, the unit can be truly customised to either suit its environment or carry a corporate branding. Dimensions: 850x1600x500 (WxHxD). Weight: 80Kg

Physical Specifications

<i>Dimensions (WxHxD)</i>	850mm x 1600mm x 500mm	<i>Operating Environment</i>	-25 to 40 Degrees
<i>Weight</i>	80Kg	<i>Audio</i>	2 + 2 Watts
		<i>RTB Warranty</i>	1 Year
		<i>Build Material</i>	Plexiglass and Powder Coated Steel
		<i>Fixing Details</i>	TBA

<i>Manufacturer</i>	Future Generation	<i>Controller Model</i>	Titan TTN3-ADA-LQ150X1LGN2
<i>Viewing Angle</i>	TBA	<i>Colours</i>	16.7 Million
<i>Control Type</i>	OSD	<i>Contrast</i>	350:1
<i>Resolution</i>	1024x768	<i>Brightness</i>	260 Cd
<i>Cable Connector</i>	15 pin D-Sub / Dvi	<i>Backlight</i>	35,000 Hours Typical

Power Specifications

<i>Power Supply</i>	210-240 Volt AC
<i>Power Consumption</i>	40 Watts Normal
<i>Power Rating</i>	80 watts

PC Specifications

<i>Processor</i>	VIA 1GHz or Pentium	<i>Memory</i>	256mb
	M 1.6GHz		
<i>Hard Disc Drive</i>	40Gb		

Special Comments

Meets DDA Requirements



i-Touch V38 Mark II Pictures







