





Booth Style Glass Floor standing kiosk with Low-level 17" TFT screen

The v46 kiosk unit is designed to comfortably accommodate wheelchair users, whilst maintaining a stylish design. The large area behind the screen is ideal for advertising or identification.

This practical yet elegant kiosk is suitable for a wide range of applications. With it's low level access and minimal footprint, it is an ideal solution for any project. Dimension: 1130x1750x360 (WxHxD). Weight: 85Kg

## **Physical Specifications**

Dimensions (WxHxD <sub>,</sub> Weight	) 1130mm x 1750mm x 360mm 85Kg	<i>Operating Environment Audio RTB Warranty</i>	-25 to 40 Degress 2 + 2 Watts 1 Year Powder Coated Steel and Plexiglass	
		Build Material		
		Fixing Details	TBA	
Manufacturer	Future Generation	Controller Model	Titan TTN3-ADA- LQ150X1LGN2	
Viewing Angle	TBA	Colours	16.7 Million	
Control Type	OSD	Contrast	350:1	
Resoloution	1024x768	Brightness	260 Cd	
Cable Connector	15 pin D-Sub / Dvi	Backlight	35,000 Hours Typical	

## **Power Specifications**

Power Supply	210-240 Volt AC	
Power Consumption	40 Watts Normal	
Power Rating	80 watts	

## **PC Specifications**

Processor	Pentium 4 (2.8ghz)	256mb
Hard Disc Drive	40Gb	

**Special Comments** Meets DDA Requirements



## i-Touch V46 Pictures













